

Amendments to the Claims

1. (currently amended) A ~~wrapped~~-scented toilet paper roller comprising:

a first roller half (40a)

a second roller half (40b), said first and second roller halves adjustably engaged with each other so that each is slidably movable relative to the other along a longitudinal axis of said scented toilet paper roller;

a curvilinear wall (41a) forming a portion of said first roller half;

a curvilinear wall (41b) forming a portion of said second roller half;

a first solid cylindrical (415a) portion and a first ribbed portion (416a) adjacent to each other and each forming at least a portion of said curvilinear wall of said first roller half;

a second solid cylindrical portion (415b) and a second ribbed portion (416b) adjacent to each other and forming at least a portion of the second roller half curvilinear wall;

~~a first plurality of sixteen ribs spaced such that a chasm of about 1/16" exists between adjacent ribs of said first plurality of sixteen ribs, said first plurality of sixteen ribs forming said rib portion of said first roller half;~~

~~a second plurality of sixteen ribs spaced such that a chasm of about 1/16" exists between adjacent ribs of said second plurality of sixteen ribs, said second plurality of sixteen ribs forming said rib portion of said second roller half;~~

a ~~plurality first scented material (60) scented beads~~ disposed within a hollow chamber formed by said first and second roller halves said first scented material being a plurality of scented beads (60):

a second scented material (70) an amount of scented oil disposed in said hollow chamber formed by said first and second roller halves over at least some of said plurality of scented beads; and said second scented material is scented oil (70), said scented oil is disposed over said scented beads as a layer of scented oil (70).

~~wherein said first roller half has an outer diameter of about 15/16"; said second roller half has an outer diameter of about 3/4"; and~~

~~wherein said solid cylindrical portion of said second roller half includes a portion with an expanded diameter such that this portion has an outer diameter greater than 3/4"; and~~

~~a wrapping disposed around the toilet paper roller providing airtight barrier around the roller.~~

2. (currently amended) The ~~wrapped~~ scented toilet paper roller of claim 1 wherein a wrapping is disposed around said roller said wrapping comprises a layer of aluminum at least partially coated with polyester; said metalized wrapper providing an airtight barrier around said scented toilet tissue roller.

3. (original) The wrapped scented toilet paper roller of claim 1 wherein the roller halves are thermoplastic.

4. (cancelled)

5. (cancelled)